

AENOR

AENOR Product Certificate Low Voltage Material



030/002016

AENOR certifies that the organization

GEWISS, S.P.A.

registered office VIA ALESSANDRO VOLTA, 1 24069 CENATE SOTTO (Bergamo - Italia)

supplies Circuit-Breakers for overcurrent protection for household and similar installation

in compliance with UNE-EN 60898-1:2004 (EN 60898-1:2003)
UNE-EN 60898-1:2004/A11:2006 (EN 60898-1:2003/A11:2005)
UNE-EN 60898-1:2004/A1:2005 (EN 60898-1:2003/A1:2004)
UNE-EN 60898-1:2004/A12:2009 (EN 60898-1:2003/A12:2008)
UNE-EN 60898-1:2004/A13:2013 (EN 60898-1:2003/A13:2012)

References Specified in Annex to the Certificate

Production site ZONA INDUSTRIAL 2ª FASE - BUSTELO P 4560-709 PENAFIEL (Portugal)

Certification scheme In order to grant this Certificate, AENOR has tested the product and has verified the quality system implemented for its manufacture. AENOR performs these tasks periodically while the Certificate has not been cancelled, in accordance with Specific Rules RP 030.15.

This certificate supersedes 030/002016, dated 2015-09-08

First issued on 2006-06-09
Modified on 2017-12-14
Validity date 2020-09-08

A handwritten signature in blue ink, consisting of a stylized 'R' followed by 'GARCÍA MEIRO'.

Rafael GARCÍA MEIRO
Chief Executive Officer

AENOR

AENOR Product Certificate Low Voltage Material

030/002016

Annex to Certificate

Trade mark: GEWISS

Type Ref.	No. of poles	Rated voltage	Rated current	Short circuit capacity	Service short-circuit capacity	Individual pole capacity	Energy limiting class	Tripping current	Additional information
GW92105	1P	230/400 V-	6 A	4500 A	4500 A	4500 A	1	C	---
GW92106	1P	230/400 V-	10 A	4500 A	4500 A	4500 A	1	C	---
GW92107	1P	230/400 V-	13 A	4500 A	4500 A	4500 A	1	C	---
GW92108	1P	230/400 V-	16 A	4500 A	4500 A	4500 A	1	C	---
GW92109	1P	230/400 V-	20 A	4500 A	4500 A	4500 A	1	C	---
GW92110	1P	230/400 V-	25 A	4500 A	4500 A	4500 A	1	C	---
GW92111	1P	230/400 V-	32 A	4500 A	4500 A	4500 A	1	C	---
GW92112	1P	230/400 V-	40 A	4500 A	4500 A	4500 A	1	C	---
GW92125	1P+N	230 V-	6 A	4500 A	4500 A	4500 A	1	C	---
GW92126	1P+N	230 V-	10 A	4500 A	4500 A	4500 A	1	C	---
GW92127	1P+N	230 V-	13 A	4500 A	4500 A	4500 A	1	C	---
GW92128	1P+N	230 V-	16 A	4500 A	4500 A	4500 A	1	C	---
GW92129	1P+N	230 V-	20 A	4500 A	4500 A	4500 A	1	C	---
GW92130	1P+N	230 V-	25 A	4500 A	4500 A	4500 A	1	C	---
GW92131	1P+N	230 V-	32 A	4500 A	4500 A	4500 A	1	C	---
GW92132	1P+N	230 V-	40 A	4500 A	4500 A	4500 A	1	C	---
GW92145	2P	400 V-	6 A	4500 A	4500 A	4500 A	1	C	---
GW92146	2P	400 V-	10 A	4500 A	4500 A	4500 A	1	C	---
GW92147	2P	400 V-	13 A	4500 A	4500 A	4500 A	1	C	---
GW92148	2P	400 V-	16 A	4500 A	4500 A	4500 A	1	C	---
GW92149	2P	400 V-	20 A	4500 A	4500 A	4500 A	1	C	---
GW92150	2P	400 V-	25 A	4500 A	4500 A	4500 A	1	C	---
GW92151	2P	400 V-	32 A	4500 A	4500 A	4500 A	1	C	---
GW92152	2P	400 V-	40 A	4500 A	4500 A	4500 A	1	C	---
GW92165	3P	400 V-	6 A	4500 A	4500 A	4500 A	1	C	---
GW92166	3P	400 V-	10 A	4500 A	4500 A	4500 A	1	C	---

First issued on 2006-06-09
Modified on 2017-12-14
Validity date 2020-09-08

Original Electronic Certificate

AENOR INTERNACIONAL S.A.U.
Génova, 6. 28004 Madrid. España
Tel. 91 432 60 00.- www.aenor.com

AENOR

AENOR Product Certificate Low Voltage Material

030/002016

Annex to Certificate

Type Ref.	No. of poles	Rated voltage	Rated current	Short circuit capacity	Service short-circuit capacity	Individual pole capacity	Energy limiting class	Tripping current	Additional information
GW92167	3P	400 V-	13 A	4500 A	4500 A	4500 A	1	C	---
GW92168	3P	400 V-	16 A	4500 A	4500 A	4500 A	1	C	---
GW92169	3P	400 V-	20 A	4500 A	4500 A	4500 A	1	C	---
GW92170	3P	400 V-	25 A	4500 A	4500 A	4500 A	1	C	---
GW92171	3P	400 V-	32 A	4500 A	4500 A	4500 A	1	C	---
GW92172	3P	400 V-	40 A	4500 A	4500 A	4500 A	1	C	---
GW92185	4P	400 V-	6 A	4500 A	4500 A	4500 A	1	C	---
GW92186	4P	400 V-	10 A	4500 A	4500 A	4500 A	1	C	---
GW92187	4P	400 V-	13 A	4500 A	4500 A	4500 A	1	C	---
GW92188	4P	400 V-	16 A	4500 A	4500 A	4500 A	1	C	---
GW92189	4P	400 V-	20 A	4500 A	4500 A	4500 A	1	C	---
GW92190	4P	400 V-	25 A	4500 A	4500 A	4500 A	1	C	---
GW92191	4P	400 V-	32 A	4500 A	4500 A	4500 A	1	C	---
GW92192	4P	400 V-	40 A	4500 A	4500 A	4500 A	1	C	---
GW92305	1P	230/400 V-	6 A	4500 A	4500 A	4500 A	1	B	---
GW92306	1P	230/400 V-	10 A	4500 A	4500 A	4500 A	1	B	---
GW92307	1P	230/400 V-	13 A	4500 A	4500 A	4500 A	1	B	---
GW92308	1P	230/400 V-	16 A	4500 A	4500 A	4500 A	1	B	---
GW92309	1P	230/400 V-	20 A	4500 A	4500 A	4500 A	1	B	---
GW92310	1P	230/400 V-	25 A	4500 A	4500 A	4500 A	1	B	---
GW92311	1P	230/400 V-	32 A	4500 A	4500 A	4500 A	1	B	---
GW92312	1P	230/400 V-	40 A	4500 A	4500 A	4500 A	1	B	---
GW92325	1P+N	230 V-	6 A	4500 A	4500 A	4500 A	1	B	---
GW92326	1P+N	230 V-	10 A	4500 A	4500 A	4500 A	1	B	---
GW92327	1P+N	230 V-	13 A	4500 A	4500 A	4500 A	1	B	---
GW92328	1P+N	230 V-	16 A	4500 A	4500 A	4500 A	1	B	---
GW92329	1P+N	230 V-	20 A	4500 A	4500 A	4500 A	1	B	---
GW92330	1P+N	230 V-	25 A	4500 A	4500 A	4500 A	1	B	---

First issued on 2006-06-09
Modified on 2017-12-14
Validity date 2020-09-08

Original Electronic Certificate

AENOR INTERNACIONAL S.A.U.
Génova, 6. 28004 Madrid. España
Tel. 91 432 60 00.- www.aenor.com

AENOR

AENOR Product Certificate Low Voltage Material

030/002016

Annex to Certificate

Type Ref.	No. of poles	Rated voltage	Rated current	Short circuit capacity	Service short-circuit capacity	Individual pole capacity	Energy limiting class	Tripping current	Additional information
GW92331	1P+N	230 V-	32 A	4500 A	4500 A	4500 A	1	B	---
GW92332	1P+N	230 V-	40 A	4500 A	4500 A	4500 A	1	B	---
GW92345	2P	400 V-	6 A	4500 A	4500 A	4500 A	1	B	---
GW92346	2P	400 V-	10 A	4500 A	4500 A	4500 A	1	B	---
GW92347	2P	400 V-	13 A	4500 A	4500 A	4500 A	1	B	---
GW92348	2P	400 V-	16 A	4500 A	4500 A	4500 A	1	B	---
GW92349	2P	400 V-	20 A	4500 A	4500 A	4500 A	1	B	---
GW92350	2P	400 V-	25 A	4500 A	4500 A	4500 A	1	B	---
GW92351	2P	400 V-	32 A	4500 A	4500 A	4500 A	1	B	---
GW92352	2P	400 V-	40 A	4500 A	4500 A	4500 A	1	B	---
GW92365	3P	400 V-	6 A	4500 A	4500 A	4500 A	1	B	---
GW92366	3P	400 V-	10 A	4500 A	4500 A	4500 A	1	B	---
GW92367	3P	400 V-	13 A	4500 A	4500 A	4500 A	1	B	---
GW92368	3P	400 V-	16 A	4500 A	4500 A	4500 A	1	B	---
GW92369	3P	400 V-	20 A	4500 A	4500 A	4500 A	1	B	---
GW92370	3P	400 V-	25 A	4500 A	4500 A	4500 A	1	B	---
GW92371	3P	400 V-	32 A	4500 A	4500 A	4500 A	1	B	---
GW92372	3P	400 V-	40 A	4500 A	4500 A	4500 A	1	B	---
GW92385	4P	400 V-	6 A	4500 A	4500 A	4500 A	1	B	---
GW92386	4P	400 V-	10 A	4500 A	4500 A	4500 A	1	B	---
GW92387	4P	400 V-	13 A	4500 A	4500 A	4500 A	1	B	---
GW92388	4P	400 V-	16 A	4500 A	4500 A	4500 A	1	B	---
GW92389	4P	400 V-	20 A	4500 A	4500 A	4500 A	1	B	---
GW92390	4P	400 V-	25 A	4500 A	4500 A	4500 A	1	B	---
GW92391	4P	400 V-	32 A	4500 A	4500 A	4500 A	1	B	---
GW92392	4P	400 V-	40 A	4500 A	4500 A	4500 A	1	B	---

First issued on 2006-06-09
Modified on 2017-12-14
Validity date 2020-09-08

Original Electronic Certificate

AENOR INTERNACIONAL S.A.U.
Génova, 6. 28004 Madrid. España
Tel. 91 432 60 00.- www.aenor.com