



REA MI 1595884  
C.F./P.I. 12898410159  
Cap. Soc. € 4.000.000

Mr. Matteo Gavazzeni  
Gewiss S.p.A.  
Mail to: [matteo.gavazzeni@gewiss.com](mailto:matteo.gavazzeni@gewiss.com)  
Via A. Volta, 1  
24069 Cenate Sotto (BG) - Italy

Your ref.....:  
Our ref.....: **FP-01137/20-sb04-Rev.1**  
Date.....: **2020-03-06**  
Product.....: **Floodlights**  
Trademark.....: **GEWISS**  
Test Report n.....: **AI20-0050062-01 AI20-0050063-01**

Article	Description	Standards
Series: SMART [PRO] 2.0 <b>Type ref.: see annex "Items Series SMART [PRO] 2.0"</b>	Input current: 700mA d.c. Class insulation: I Ambient temperature: ta 25°C Rated wattage: see annex "Items Series SMART [PRO] 2.0" Degree of protection: IP66	EN 60598-2-5:2015 used in conjunction with EN 60598-1:2015+A1:2018 IEC/TR 62778:2014 EN 62493:2015

With reference to your application of February 2020, covering the above mentioned product, we wish to inform you of the following:

*Type tests have been carried out on a sample of the product with positive results.*

Once the relevant administrative and procedural requirements will be fulfilled, IMQ will issue the Approval Certificate.

**IMQ S.p.A.**  
**B.U. PRODUCT CONFORMITY ASSESSMENT**  
**(Lighting, Electronics/Safety & Security Systems Operating Sectors – Manager)**

(Simone Bilotta)

IMQ S.P.A. A SOCIO UNICO  
SOGGETTA AD ATTIVITÀ DI DIREZIONE  
E COORDINAMENTO DI IMQ GROUP S.R.L.

tel. (+39) 02 5073 1  
fax (+39) 02 5099 1550  
[direzione.imq@legalmail.it](mailto:direzione.imq@legalmail.it)  
[info@imq.it](mailto:info@imq.it) - [www.imq.it](http://www.imq.it)

**Sede legale**  
Italia - 20138 Milano  
via Quintiliano 43

**Sedi secondarie**  
Macerata, Modena  
Roma, Torino, Treviso, Udine



GWP2630AN857	SMART [PRO] 2.0 3x2M 970W 5700K CRI 80 - Class I - IP66 - DALI/DMX - Graphite grey	720 x 540 x 106	A3	6 x 80 LED	66114950	66114927	5700 K	80	700 mA	Uout max. 600 Vdc	970 W
GWP2630AG857	SMART [PRO] 2.0 3x2M 970W 5700K CRI 80 - Class I - IP66 - DALI/DMX - Graphite grey	720 x 540 x 106	C4	6 x 80 LED	66110545	66114976	5700 K	80	700 mA	Uout max. 600 Vdc	970 W
GWP2630AH857	SMART [PRO] 2.0 3x2M 970W 5700K CRI 80 - Class I - IP66 - DALI/DMX - Graphite grey	720 x 540 x 106	C3	6 x 80 LED	66110545	66114976	5700 K	80	700 mA	Uout max. 600 Vdc	970 W
GWP2630AL857	SMART [PRO] 2.0 3x2M 970W 5700K CRI 80 - Class I - IP66 - DALI/DMX - Graphite grey	720 x 540 x 106	C2	6 x 80 LED	66110545	66114976	5700 K	80	700 mA	Uout max. 600 Vdc	970 W
GWP2630AM857	SMART [PRO] 2.0 3x2M 970W 5700K CRI 80 - Class I - IP66 - DALI/DMX - Graphite grey	720 x 540 x 106	C1	6 x 80 LED	66110545	66114976	5700 K	80	700 mA	Uout max. 600 Vdc	970 W
GWP2630AA957	SMART [PRO] 2.0 3x2M 970W 5700K CRI 90 - Class I - IP66 - DALI/DMX - Graphite grey	720 x 540 x 106	S1	6 x 80 LED	66120429	\	5700 K	90	700 mA	Uout max. 600 Vdc	970 W
GWP2630AB957	SMART [PRO] 2.0 3x2M 970W 5700K CRI 90 - Class I - IP66 - DALI/DMX - Graphite grey	720 x 540 x 106	S2	6 x 80 LED	66120429	\	5700 K	90	700 mA	Uout max. 600 Vdc	970 W
GWP2630AC957	SMART [PRO] 2.0 3x2M 970W 5700K CRI 90 - Class I - IP66 - DALI/DMX - Graphite grey	720 x 540 x 106	A1	6 x 80 LED	66120429	\	5700 K	90	700 mA	Uout max. 600 Vdc	970 W
GWP2630AF957	SMART [PRO] 2.0 3x2M 970W 5700K CRI 90 - Class I - IP66 - DALI/DMX - Graphite grey	720 x 540 x 106	A2	6 x 80 LED	66120429	\	5700 K	90	700 mA	Uout max. 600 Vdc	970 W
GWP2630AN957	SMART [PRO] 2.0 3x2M 970W 5700K CRI 90 - Class I - IP66 - DALI/DMX - Graphite grey	720 x 540 x 106	A3	6 x 80 LED	66120734	\	5700 K	90	700 mA	Uout max. 600 Vdc	970 W
GWP2630AG957	SMART [PRO] 2.0 3x2M 970W 5700K CRI 90 - Class I - IP66 - DALI/DMX - Graphite grey	720 x 540 x 106	C4	6 x 80 LED	66120429	\	5700 K	90	700 mA	Uout max. 600 Vdc	970 W
GWP2630AH957	SMART [PRO] 2.0 3x2M 970W 5700K CRI 90 - Class I - IP66 - DALI/DMX - Graphite grey	720 x 540 x 106	C3	6 x 80 LED	66120429	\	5700 K	90	700 mA	Uout max. 600 Vdc	970 W
GWP2630AL957	SMART [PRO] 2.0 3x2M 970W 5700K CRI 90 - Class I - IP66 - DALI/DMX - Graphite grey	720 x 540 x 106	C2	6 x 80 LED	66120429	\	5700 K	90	700 mA	Uout max. 600 Vdc	970 W
GWP2630AM957	SMART [PRO] 2.0 3x2M 970W 5700K CRI 90 - Class I - IP66 - DALI/DMX - Graphite grey	720 x 540 x 106	C1	6 x 80 LED	66120429	\	5700 K	90	700 mA	Uout max. 600 Vdc	970 W

**Spare Parts & Complementary Item for Installation**

Type Ref.	Description
GWP20021	LED Controlgear DALI - 220-240V
GWP20022	LED Controlgear DMX - 220-240V
GWP20031	LED Controlgear DALI - 220-400V
GWP20032	LED Controlgear DMX - 220-400V
GWP20003	Connection Kit
GWP20004	12 Poles Connector
GWP20005	12 Poles Cable - 50 m
GWP20006	LED Controlgear Mounting Bracket