














	31	Max. 50 m	0.07 m ²	0.346 m ²
	41	Max. 50 m	0.088 m ²	0.496 m ²




LED CCT			≤ 4000 K	> 4000 K ≤ 5700 K
Optics			RG1	RG1
		S1	14 m	17 m
		S2	19 m	23 m
		A1	12 m	15 m
		A2	15 m	18 m
		C4	41 m	49 m
		C3	31 m	37 m
		C2	30 m	35 m
		C1	20 m	23 m






1 = +
2 = -
L = +
N = -






1 = +
3 = -
4 = ⚡

SOCKET 4P




1	→	1
2	→	2
L	→	L
N	→	N

PLUG 4P








SOCKET 3P







1	→	1
3	→	3
4	→	4

PLUG 3P








N°4



SMART PRO 6M



SMART PRO 9M



Punto di contatto indicato in adempimento ai fini delle direttive e regolamenti UE applicabili:

Contact details according to the relevant European Directives and Regulations:

GEWISS S.p.A. Via A.Volta, 1 IT-24069 Cenate Sotto (BG) Italy tel: +39 035 946 111 E-mail: qualitymarks@gewiss.com



+39 035 946 111
8.30 - 12.30 / 14.00 - 18.00
lunedì ÷ venerdì - monday ÷ friday



+39 035 946 260



sat@gewiss.com
www.gewiss.com