

ELIA PL

GEWISS
PANEL LED


60x60/
62x62



30x120




     RG0→0,2m  +45°C
-20°C $t_a +45^{\circ}\text{C}$






MCB 16A type C:



	
60x60 62x62 30x120	Max n.30



Inrush current peak and width:


ON/OFF	60 A / 350 μS
DALI	



		35-38V DC 900 mA
		220-240V AC

	
	2,65
	2,4








		L	W
60x60		570 mm	570 mm
62x62		590 mm	590 mm
30x120		1170 mm	270 mm

GW F1 923














GW F1 921







GW F1 922



4 x



2 x








2 x



4 x M3x5,5 mm




8 x M3,2x6 mm




GW F1 911

GW F1 912


GW F1 913






60x60









62x62



30x120





Punto di contatto indicato in adempimento ai fini delle direttive e regolamenti UE applicabili:

Contact details according to the relevant European Directives and Regulations:

GEWISS S.p.A. Via A.Volta, 1 IT-24069 Cenate Sotto (BG) Italy tel: +39 035 946 111 E-mail: qualitymarks@gewiss.com



+39 035 946 111
8.30 - 12.30 / 14.00 - 18.00
lunedì ÷ venerdì - monday ÷ friday



+39 035 946 260



sat@gewiss.com
www.gewiss.com