



SMART[4] HT

GEWISS

LOWBAY - HIGHBAY - FLOODLIGHTS




	3,5	0,097 m ²	0,029 m ²
	6,5	0,184 m ²	0,022 m ²
	13,5	0,35 m ²	0,045 m ²




MCB current	10 A	16 A	20 A
Max number of SMART[4] (Type B)			
SMART[4] 1M	12	19	24
SMART[4] 2M	12	19	24
SMART[4] 4M	6	9	12
Max number of SMART[4] (Type C)			
SMART[4] 1M	17	28	35
SMART[4] 2M	14	23	29
SMART[4] 4M	7	11	14
Max number of SMART[4] (Type D)			
SMART[4] 1M	20	32	40
SMART[4] 2M	16	26	33
SMART[4] 4M	8	13	16






LED CCT:	≤ 6500 K		
	RG1:	RG0:	
	Smart[4] 1M / 2M / 4M	Smart[4] 1M	Smart[4] 2M / 4M
ARRAY	100 cm	400 cm	575 cm
90°	50 cm	450 cm	600 cm
60°	100 cm	500 cm	700 cm
30°	20 cm	850 cm	1200 cm
ELLIPTICAL/ ASSYMMETRICAL	20 cm	350 cm	475 cm














ON/OFF		
L	=	L
N	=	N
	=	

DALI		
L	=	L
N	=	N
1	=	DALI
2	=	
	=	






SMART[4] 1M

















GWS6922

GWS6926














GWS6923















SMART[4] 2M








SMART[4] 4M









GWL1907




SMART[4] 1M



SMART[4] 2M



SMART[4] 4M



Punto di contatto indicato in adempimento ai fini delle direttive e regolamenti UE applicabili:
Contact details according to the relevant European Directives and Regulations:

GEWISS S.p.A. Via A.Volta, 1 IT-24069 Cenate Sotto (BG) Italy tel: +39 035 946 111 E-mail: qualitymarks@gewiss.com



+39 035 946 111
 8.30 - 12.30 / 14.00 - 18.00
 lunedì ÷ venerdì - monday ÷ friday



+39 035 946 260



sat@gewiss.com
www.gewiss.com