



SMART [3] - EMERGENCY

GEWISS



220-240V

50/60Hz

IP66



$t_{min} +5^{\circ}C$

$t_a +25^{\circ}C$




IP66

IP69 $t_a +50^{\circ}C$



IP66 $t_a +25^{\circ}C$



3h



100% → 0%



24h



0% → 100%

	Φ_{EM}	Φ_{EM}			
SMART[3]e	1200 mm	SMART[3]	800 mm	1200 mm	1600 mm
GWS32xxET	390 lm	GWS31xxTL	130 lm	190 lm	250 lm
GWS32xxEP	360 lm	GWS32xxTL	260 lm	390 lm	510 lm
		GWS31xxPL	120 lm	170 lm	230 lm
		GWS32xxPL	240 lm	360 lm	480 lm

SMART[3] 800	P 3h	7,2V - 2Ah
SMART[3] 1200	P 3h	7,2V - 2Ah
SMART[3] 1600	P 3h	7,2V - 2Ah

	Φ_{EM}			
SMART[3] PLUS	800 mm	1200 mm	1600 mm	1600 mm HLO
	CRI80 4000K / CRI80 5700K / CRI80 6500K			
GWS3xxxxT	240 lm	320 lm	400 lm	400 lm
GWS3xxxxP	210 lm	290 lm	360 lm	360 lm
GWS3xxxx C			390 lm	390 lm
	CRI80 3000K			
GWS3xxxxT	220 lm	310 lm	380 lm	380 lm
GWS3xxxxP	200 lm	270 lm	340 lm	340 lm
GWS3xxxx C			370 lm	370 lm
	CRI90 4000K / CRI90 5700K / CRI90 6500K			
GWS3xxxx T	190 lm	260 lm	320 lm	320 lm
GWS3xxxx P	160 lm	230 lm	280 lm	280 lm
GWS3xxxx C			310 lm	310 lm
	CRI90 3000K			
GWS3xxxx T	170 lm	240 lm	300 lm	300 lm
GWS3xxxx P	150 lm	210 lm	260 lm	260 lm
GWS3xxxx C			290 lm	290 lm

