




ESALITE 12K-16K-20K

GEWISS


HIGHBAY - FLOODLIGHTS



		IP			
30°		IP65			
60°		IP65			
90°		IP65			
ELL.		IP66			

	I _{LED} (A)		
	ta 50°C	ta 45°C	ta 40°C
12 K	700 mA	700 mA	700 mA
16 K	600 mA	600 mA	600 mA
20 K	570 mA	650 mA	700 mA



	7,5	Max. 30 m	0,12 m²	0,05 m²
	8,5	Max. 30 m	0,14 m²	0,07 m²
	9,5	Max. 30 m	0,13 m²	0,07 m²




MCB Type B	10A	16A	20A
	5	8	10
MCB Type C	10A	16A	20A
	8	13	16


	$\leq 5700K$			
	30°	60°	90°	Elliptical
	RG1:	RG1:	RG1:	RG1:
	2,5 m	3,5 m	3 m	4 m

.....m







L
N
DA+ = DALI (+)
DA- = DALI (-)




L	=	L
N	=	N
	=	
①	=	DALI
②	=	






30° - 60° - 90°



ELLIPTICAL



GWS6922




GWS6923




GWS6926







30° - 60° - 90°



+




GWS6921







ELLIPTICAL






+






L = 1m






30° - 60° - 90° - ELLIPTICAL





Max 25 Nm








A technical line drawing of a square LED light fixture. The fixture has a square frame with a serrated outer edge. Inside the frame, there are four rectangular sections, each labeled 'LED'. The fixture is mounted on a bracket that is attached to a horizontal arm with three circular holes. The arm is shown at an angle, suggesting it can be adjusted.



Max 8 Nm






Max 25 Nm









ON REQUEST



		OK		
		OK		



ELLIPTICAL



Punto di contatto indicato in adempimento ai fini delle direttive e regolamenti UE applicabili:
 Contact details according to the relevant European Directives and Regulations:
 GEWISS S.p.A. Via D.Bosatelli, 1 IT-24069 Cenate Sotto (BG) Italy tel: +39 035 946 111 E-mail: qualitymarks@gewiss.com

According to applicable UK regulations, the company responsible for placing the goods in UK market is:
 GEWISS UK LTD - Unity House, Compass Point Business Park, 9 Stocks Bridge Way, ST IVES
 Cambridgeshire, PE27 5JL, United Kingdom tel: +44 1954 712757 E-mail: gewiss-uk@gewiss.com



+39 035 946 111

8:30 - 12:30 / 14:00 - 18:00

lunedì - venerdì / monday - friday



www.gewiss.com

