

BRX

MAVIL

powered by

GEWISS



Best solution in the
toughest situations.

GEWISS



Speed

- ♦ Automatic couplers
- ♦ Ready to install
- ♦ Better cable sliding in the cable tray
- ♦ External coupling



Safety

- ♦ Rounded edges
- ♦ Load resistance
- ♦ External coupling
- ♦ ISO 45001



Research & development

- ♦ Design office integrated into the production site in France
- ♦ ISO 9001



Sustainability

- ♦ Product Life Cycle Analysis - PEP
- ♦ HP Finishing (Zn + Mg)
- ♦ Eco-design and reduction of scrap material
- ♦ ISO 14001
- ♦ Recyclable product



Design

- ♦ Unique design
- ♦ Possible colour customization



Forget the bolts, switch to BRX!

A unique design

The special design of BRX allows it to have excellent load resistance.




The most complete range of automatic and quick couplers on the market.

Automatic couplers available in 4 heights: 35, 50, 80 and 95 mm.



Rigid structure = ease to cut




easy cutting

The reinforced «X» molding still allows an easy cutting.

External assembling = simplicity for the installer



Visual signal for a correct coupler positioning



Rounded edges = safety

Thanks to its unique profile, the rounded edge guarantees the safety of:

- ♦ installers
- ♦ cables



To Know

BRX automatic couplers are not compatible with BRN.

It is possible to join BRX and BRN only with BRX bolt couplers.

BRX cable tray with couplers included ready-to-install: + ease, + speed

- + easy to order
- + easy to carry
- + easy to store
- + easy to install

Faster coupling

The position of the automatic couplers allows the installer to make the faster coupling between cable trays.



Safe and optimized transport

The couplers are positioned internally at the ends of the cable tray, on the same side, so that they are unmissable and protected during shipping. Moreover, this favors the overlapping of another cable tray to minimize its overall occupied space.



1

reference

Only one reference

Each cable tray ready-to-install already includes 2 automatic couplers:

- ♦ easier to order
- ♦ easier to store



Thanks to its fastening hook, the automatic coupler remains attached to the cable tray also during transport, while offering ease of release for the installer.

0

waste

No losses after cutting

The surplus of automatic couplers can be recovered to make other joints using pieces of cable trays, previously cutted according to the procedure.



4

heights

A complete range


Available in Z275 finishing h35, h50, h80, h95 and in HP finishing h50, h95.

The environment at the heart of development

High protection finishing (HP)

High corrosion resistance: 850 hours in salt spray

The compact layer of the **HP** surface coating consists of Zinc and Magnesium, which acts as a barrier to corrosion due to the property of self-generating a protective layer of magnesium hydroxychloride, highly effective in particular in the most aggressive environments. This prevents the underlying steel from entering contact with the surrounding environment avoiding the formation of rust.



A self-healing coating

When exposed to the environment, the **HP** coating (thanks to the simultaneous presence of Zn and Mg) forms a dense and much more resistant protective layer than the traditional galvanizing treatment characterized by a more porous surface to aggressive agents. The **HP** protective layer perfectly covers the entire sheet, including the edges, and offers superior protection by preventing aggressive chemicals from penetrating and reaching the underlying steel and also offers superior protection against scratches and cuts.

A virtuous manufacturing process for the environment

The **HP** coating is obtained with a slim industrial production process immediately after the production of the steel sheet and it doesn't require the post-profiling hot-dip galvanizing treatment.

The **HP** coating ensures the conservation of natural resources as it reduces zinc dispersion and provides superior protection against corrosion.

The heart of GEWISS group's expertise in metal cable trays

The GEWISS MAVIL plant is the technological reference point of the Gewiss group regarding the design, manufacturing and processing of metal cable trays and other metal products with total respect for sustainability. Among the main innovations introduced we have the automatic coupling systems without the use of screws.



Ecological approach

In line with the requirements of the GEWISS group, GEWISS MAVIL (ISO 9001, ISO 14001 and ISO 45001 certified) also adopts an approach of eco-compatible design, confirming the group's commitment to environmental protection.



Waste management, pollution environmental, consumption monitoring energy, are just some of the essential topics for GEWISS, in order to achieve the ambitious sustainability objectives that the company sets for itself.

Multiple areas of application


Energy

- ♦ Photovoltaic
- ♦ Wind energy
- ♦ Production plants



Infrastructure

- ♦ Tunnel
- ♦ Airports
- ♦ Subways



- ♦ Food industry
- ♦ Petrochemical industry
- ♦ Pharmaceutical industry

Industry



- ♦ Stadiums
- ♦ Hospitals
- ♦ Warehouses & Offices
- ♦ Hotels
- ♦ Datacenters

Tertiary buildings



Gewiss services

Technical service

GEWISS MAVIL design office

The GEWISS MAVIL design office is integrated into the production factory and, thanks to its know-how, is able to quickly offer all the necessary support for the optimization of ordinary products or the development of new products.



Customized design



Electrical projects are increasingly complex, and sometimes even require the development of customized products and solutions.

Commercial service

Our sales teams specialized by kind of customer work closely with distributors, installers and design studios.



Gewiss Stadium - Atalanta B.C.

Digital tools

- ◆ Gewiss website
- ◆ Video tutorials
- ◆ Product sheets
- ◆ Drawings produced in BIM format
- ◆ Catalogue and Brochure



Configurator

A tool to speed up the estimate, always updated.



Customers training

Training centers:

- ◆ Gewiss Experience Center (Cenate Sotto)
- ◆ Liernais (France)

BRX series: linear elements, couplers and covers

Legend	
Z275 finishing	Sendzimir galvanized
GAC finishing	Hot-dip galvanized after manufacture
HP finishing	High Performance with finishing Zn+Mg

 Cable tray Dimensions WxH (mm)	BRX Z275	BRX GAC	BRX HP
65 x 35	MVX40100	MVX40200	
95 x 35	MVX40101	MVX40201	
155 x 35	MVX40103	MVX40203	
215 x 35	MVX40105	MVX40205	
305 x 35	MVX40108	MVX40208	
395 x 35	MVX40111	MVX40211	
515 x 35	MVX40115	MVX40215	
605 x 35	MVX40117	MVX40217	
65 x 50	MVX40120	MVX40220	MVX40720
95 x 50	MVX40121	MVX40221	MVX40721
155 x 50	MVX40123	MVX40223	MVX40723
215 x 50	MVX40125	MVX40225	MVX40725
305 x 50	MVX40128	MVX40228	MVX40728
395 x 50	MVX40131	MVX40231	MVX40731
515 x 50	MVX40135	MVX40235	MVX40735
605 x 50	MVX40137	MVX40237	MVX40737
95 x 80	MVX0013LD	MVX0023LD	
155 x 80	MVX0013LF	MVX0023LF	
215 x 80	MVX0013LH	MVX0023LH	
305 x 80	MVX0013LL	MVX0023LL	
395 x 80	MVX0013LP	MVX0023LP	
515 x 80	MVX0013LU	MVX0023LU	
605 x 80	MVX0013LX	MVX0023LX	
95 x 95	MVX0013ND	MVX0023ND	MVX0073ND
155 x 95	MVX0013NF	MVX0023NF	MVX0073NF
215 x 95	MVX0013NH	MVX0023NH	MVX0073NH
305 x 95	MVX0013NL	MVX0023NL	MVX0073NL
395 x 95	MVX0013NP	MVX0023NP	MVX0073NP
515 x 95	MVX0013NU	MVX0023NU	MVX0073NU
605 x 95	MVX0013NX	MVX0023NX	MVX0073NX



Automatic couplers

Couplers with bolts

Pliable couplers

Couplers with variable angle

Heights (mm)	BRX Z275	BRX GAC	BRX HP
35	MVX41110		
50	MVX41111		MVX0670GA
80	MVX0610LA		
95	MVX0610NA		MVX0670NA
35	MVC0710EA	MVC0720EA	
50	MVC0710GA	MVC0720GA	MVC0770GA
80	MVC0710LA	MVC0720LA	
95	MVC0710NA	MVC0720NA	MVC0770NA
35	MVC0810EA	MVC0820EA	
50	MVC0810GA	MVC0820GA	MVC0870GA
80	MVC0810LA	MVC0820LA	
95	MVC0810NA	MVC0820NA	MVC0870NA
35	MV41120	MV41222	
50	MV41120	MV41222	MV41720
80	MV41140	MV41240	
95	MV41140	MV41240	MV41740

 Cable tray with couplers included Dimensions WxH (mm)	BRX Z275	BRX GAC	BRX HP
65 x 35	MVX0213EC		
95 x 35	MVX0213ED		
155 x 35	MVX0213EF		
215 x 35	MVX0213EH		
305 x 35	MVX0213EL		
395 x 35	MVX0213EP		
515 x 35	MVX0213EU		
605 x 35	MVX0213EX		
65 x 50	MVX0213GC		MVX0273GC
95 x 50	MVX0213GD		MVX0273GD
155 x 50	MVX0213GF		MVX0273GF
215 x 50	MVX0213GH		MVX0273GH
305 x 50	MVX0213GL		MVX0273GL
395 x 50	MVX0213GP		MVX0273GP
515 x 50	MVX0213GU		MVX0273GU
605 x 50	MVX0213GX		MVX0273GX
95 x 80	MVX0213LD		
155 x 80	MVX0213LF		
215 x 80	MVX0213LH		
305 x 80	MVX0213LL		
395 x 80	MVX0213LP		
515 x 80	MVX0213LU		
605 x 80	MVX0213LX		
95 x 95	MVX0213ND		MVX0273ND
155 x 95	MVX0213NF		MVX0273NF
215 x 95	MVX0213NH		MVX0273NH
305 x 95	MVX0213NL		MVX0273NL
395 x 95	MVX0213NP		MVX0273NP
515 x 95	MVX0213NU		MVX0273NU
605 x 95	MVX0213NX		MVX0273NX



Covers




All routing elements already available for the BRN series (Z275 and GAC) are compatible with the BRX series.

Widths (mm)	BRX Z275	BRX GAC	BRX HP
65	MVC0013AC	MVC0023AC	MVC0073AC
95	MVC0013AD	MVC0023AD	MVC0073AD
155	MVC0013AF	MVC0023AF	MVC0073AF
215	MVC0013AH	MVC0023AH	MVC0073AH
305	MVC0013AL	MVC0023AL	MVC0073AL
395	MVC0013AP	MVC0023AP	MVC0073AP
515	MVC0013AU	MVC0023AU	MVC0073AU
605	MVC0013AX	MVC0023AX	MVC0073AX

Painting

RAL painting available upon request, spray coating with epoxy powder.



BRX series: routing elements



Bend 90°



Bend cover 90°



Bend 45°



Bend cover 45°

Dimensions WxH (mm)	Z275	GAC	HP	Z275	GAC	HP
65 x 35	MVN1110EC	MVN1120EC		MVC1110AC	MVC1120AC	
95 x 35	MVN1110ED	MVN1120ED		MVC1110AD	MVC1120AD	
155 x 35	MVN1110EF	MVN1120EF		MVC1110AF	MVC1120AF	
215 x 35	MVN1110EH	MVN1120EH		MVC1110AH	MVC1120AH	
305 x 35	MVN1110EL	MVN1120EL		MVC1110AL	MVC1120AL	
395 x 35	MVN1110EP	MVN1120EP		MVC1110AP	MVC1120AP	
515 x 35	MVN1110EU	MVN1120EU		MVC1110AU	MVC1120AU	
605 x 35	MVN1110EX	MVN1120EX		MVC1110AX	MVC1120AX	
65 x 50	MVN1110GC	MVN1120GC	MVN1170GC	MVC1110AC	MVC1120AC	MVC1170AC
95 x 50	MVN1110GD	MVN1120GD	MVN1170GD	MVC1110AD	MVC1120AD	MVC1170AD
155 x 50	MVN1110GF	MVN1120GF	MVN1170GF	MVC1110AF	MVC1120AF	MVC1170AF
215 x 50	MVN1110GH	MVN1120GH	MVN1170GH	MVC1110AH	MVC1120AH	MVC1170AH
305 x 50	MVN1110GL	MVN1120GL	MVN1170GL	MVC1110AL	MVC1120AL	MVC1170AL
395 x 50	MVN1110GP	MVN1120GP	MVN1170GP	MVC1110AP	MVC1120AP	MVC1170AP
515 x 50	MVN1110GU	MVN1120GU	MVN1170GU	MVC1110AU	MVC1120AU	MVC1170AU
605 x 50	MVN1110GX	MVN1120GX	MVN1170GX	MVC1110AX	MVC1120AX	MVC1170AX
95 x 80	MVN1110LD	MVN1120LD		MVC1110AD	MVC1120AD	
155 x 80	MVN1110LF	MVN1120LF		MVC1110AF	MVC1120AF	
215 x 80	MVN1110LH	MVN1120LH		MVC1110AH	MVC1120AH	
305 x 80	MVN1110LL	MVN1120LL		MVC1110AL	MVC1120AL	
395 x 80	MVN1110LP	MVN1120LP		MVC1110AP	MVC1120AP	
515 x 80	MVN1110LU	MVN1120LU		MVC1110AU	MVC1120AU	
605 x 80	MVN1110LX	MVN1120LX		MVC1110AX	MVC1120AX	
95 x 95	MVN1110ND	MVN1120ND	MVN1170ND	MVC1110AD	MVC1120AD	MVC1170AD
155 x 95	MVN1110NF	MVN1120NF	MVN1170NF	MVC1110AF	MVC1120AF	MVC1170AF
215 x 95	MVN1110NH	MVN1120NH	MVN1170NH	MVC1110AH	MVC1120AH	MVC1170AH
305 x 95	MVN1110NL	MVN1120NL	MVN1170NL	MVC1110AL	MVC1120AL	MVC1170AL
395 x 95	MVN1110NP	MVN1120NP	MVN1170NP	MVC1110AP	MVC1120AP	MVC1170AP
515 x 95	MVN1110NU	MVN1120NU	MVN1170NU	MVC1110AU	MVC1120AU	MVC1170AU
605 x 95	MVN1110NX	MVN1120NX	MVN1170NX	MVC1110AX	MVC1120AX	MVC1170AX

Z275	GAC	HP	Z275	GAC	HP
MVN1210EC	MVN1220EC		MVC1210AC	MVC1220AC	
MVN1210ED	MVN1220ED		MVC1210AD	MVC1220AD	
MVN1210EF	MVN1220EF		MVC1210AF	MVC1220AF	
MVN1210EH	MVN1220EH		MVC1210AH	MVC1220AH	
MVN1210EL	MVN1220EL		MVC1210AL	MVC1220AL	
MVN1210EP	MVN1220EP		MVC1210AP	MVC1220AP	
MVN1210EU	MVN1220EU		MVC1210AU	MVC1220AU	
MVN1210EX	MVN1220EX		MVC1210AX	MVC1220AX	
MVN1210GC	MVN1220GC	MVN1270GC	MVC1210AC	MVC1220AC	MVC1270AC
MVN1210GD	MVN1220GD	MVN1270GD	MVC1210AD	MVC1220AD	MVC1270AD
MVN1210GF	MVN1220GF	MVN1270GF	MVC1210AF	MVC1220AF	MVC1270AF
MVN1210GH	MVN1220GH	MVN1270GH	MVC1210AH	MVC1220AH	MVC1270AH
MVN1210GL	MVN1220GL	MVN1270GL	MVC1210AL	MVC1220AL	MVC1270AL
MVN1210GP	MVN1220GP	MVN1270GP	MVC1210AP	MVC1220AP	MVC1270AP
MVN1210GU	MVN1220GU	MVN1270GU	MVC1210AU	MVC1220AU	MVC1270AU
MVN1210GX	MVN1220GX	MVN1270GX	MVC1210AX	MVC1220AX	MVC1270AX
MVN1210LD	MVN1220LD		MVC1210AD	MVC1220AD	
MVN1210LF	MVN1220LF		MVC1210AF	MVC1220AF	
MVN1210LH	MVN1220LH		MVC1210AH	MVC1220AH	
MVN1210LL	MVN1220LL		MVC1210AL	MVC1220AL	
MVN1210LP	MVN1220LP		MVC1210AP	MVC1220AP	
MVN1210LU	MVN1220LU		MVC1210AU	MVC1220AU	
MVN1210LX	MVN1220LX		MVC1210AX	MVC1220AX	
MVN1210ND	MVN1220ND	MVN1270ND	MVC1210AD	MVC1220AD	MVC1270AD
MVN1210NF	MVN1220NF	MVN1270NF	MVC1210AF	MVC1220AF	MVC1270AF
MVN1210NH	MVN1220NH	MVN1270NH	MVC1210AH	MVC1220AH	MVC1270AH
MVN1210NL	MVN1220NL	MVN1270NL	MVC1210AL	MVC1220AL	MVC1270AL
MVN1210NP	MVN1220NP	MVN1270NP	MVC1210AP	MVC1220AP	MVC1270AP
MVN1210NU	MVN1220NU	MVN1270NU	MVC1210AU	MVC1220AU	MVC1270AU
MVN1210NX	MVN1220NX	MVN1270NX	MVC1210AX	MVC1220AX	MVC1270AX

Legend

Z275 finishing	Sendzimir galvanized
GAC finishing	Hot-dip galvanized after manufacture
HP finishing	High Performance with finishing Zn+Mg


BRX series: routing elements



Side exit



Side exit cover



Rising bend 90°



Rising bend cover 90°

Dimensions WxH (mm)	Z275	GAC	HP	Z275	GAC	HP
65 x 35	MVN1410EC	MVN1420EC		MVC1410AC	MVC1420AC	
95 x 35	MVN1410ED	MVN1420ED		MVC1410AD	MVC1420AD	
155 x 35	MVN1410EF	MVN1420EF		MVC1410AF	MVC1420AF	
215 x 35	MVN1410EH	MVN1420EH		MVC1410AH	MVC1420AH	
305 x 35	MVN1410EL	MVN1420EL		MVC1410AL	MVC1420AL	
395 x 35	MVN1410EP	MVN1420EP		MVC1410AP	MVC1420AP	
515 x 35	MVN1410EU	MVN1420EU		MVC1410AU	MVC1420AU	
605 x 35	MVN1410EX	MVN1420EX		MVC1410AX	MVC1420AX	
65 x 50	MVN1410GC	MVN1420GC	MVN1470GC	MVC1410AC	MVC1420AC	MVC1470AC
95 x 50	MVN1410GD	MVN1420GD	MVN1470GD	MVC1410AD	MVC1420AD	MVC1470AD
155 x 50	MVN1410GF	MVN1420GF	MVN1470GF	MVC1410AF	MVC1420AF	MVC1470AF
215 x 50	MVN1410GH	MVN1420GH	MVN1470GH	MVC1410AH	MVC1420AH	MVC1470AH
305 x 50	MVN1410GL	MVN1420GL	MVN1470GL	MVC1410AL	MVC1420AL	MVC1470AL
395 x 50	MVN1410GP	MVN1420GP	MVN1470GP	MVC1410AP	MVC1420AP	MVC1470AP
515 x 50	MVN1410GU	MVN1420GU	MVN1470GU	MVC1410AU	MVC1420AU	MVC1470AU
605 x 50	MVN1410GX	MVN1420GX	MVN1470GX	MVC1410AX	MVC1420AX	MVC1470AX
95 x 80	MVN1410LD	MVN1420LD		MVC1410AD	MVC1420AD	
155 x 80	MVN1410LF	MVN1420LF		MVC1410AF	MVC1420AF	
215 x 80	MVN1410LH	MVN1420LH		MVC1410AH	MVC1420AH	
305 x 80	MVN1410LL	MVN1420LL		MVC1410AL	MVC1420AL	
395 x 80	MVN1410LP	MVN1420LP		MVC1410AP	MVC1420AP	
515 x 80	MVN1410LU	MVN1420LU		MVC1410AU	MVC1420AU	
605 x 80	MVN1410LX	MVN1420LX		MVC1410AX	MVC1420AX	
95 x 95	MVN1410ND	MVN1420ND	MVN1470ND	MVC1410AD	MVC1420AD	MVC1470AD
155 x 95	MVN1410NF	MVN1420NF	MVN1470NF	MVC1410AF	MVC1420AF	MVC1470AF
215 x 95	MVN1410NH	MVN1420NH	MVN1470NH	MVC1410AH	MVC1420AH	MVC1470AH
305 x 95	MVN1410NL	MVN1420NL	MVN1470NL	MVC1410AL	MVC1420AL	MVC1470AL
395 x 95	MVN1410NP	MVN1420NP	MVN1470NP	MVC1410AP	MVC1420AP	MVC1470AP
515 x 95	MVN1410NU	MVN1420NU	MVN1470NU	MVC1410AU	MVC1420AU	MVC1470AU
605 x 95	MVN1410NX	MVN1420NX	MVN1470NX	MVC1410AX	MVC1420AX	MVC1470AX

Z275	GAC	HP	Z275	GAC	HP
MVN1710EC	MVN1720EC		MVC1710AC	MVC1720AC	
MVN1710ED	MVN1720ED		MVC1710AD	MVC1720AD	
MVN1710EF	MVN1720EF		MVC1710AF	MVC1720AF	
MVN1710EH	MVN1720EH		MVC1710AH	MVC1720AH	
MVN1710EL	MVN1720EL		MVC1710AL	MVC1720AL	
MVN1710EP	MVN1720EP		MVC1710AP	MVC1720AP	
MVN1710EU	MVN1720EU		MVC1710AU	MVC1720AU	
MVN1710EX	MVN1720EX		MVC1710AX	MVC1720AX	
MVN1710GC	MVN1720GC	MVN1770GC	MVC1710AC	MVC1720AC	MVC1770AC
MVN1710GD	MVN1720GD	MVN1770GD	MVC1710AD	MVC1720AD	MVC1770AD
MVN1710GF	MVN1720GF	MVN1770GF	MVC1710AF	MVC1720AF	MVC1770AF
MVN1710GH	MVN1720GH	MVN1770GH	MVC1710AH	MVC1720AH	MVC1770AH
MVN1710GL	MVN1720GL	MVN1770GL	MVC1710AL	MVC1720AL	MVC1770AL
MVN1710GP	MVN1720GP	MVN1770GP	MVC1710AP	MVC1720AP	MVC1770AP
MVN1710GU	MVN1720GU	MVN1770GU	MVC1710AU	MVC1720AU	MVC1770AU
MVN1710GX	MVN1720GX	MVN1770GX	MVC1710AX	MVC1720AX	MVC1770AX
MVN1710LD	MVN1720LD		MVC1710AD	MVC1720AD	
MVN1710LF	MVN1720LF		MVC1710AF	MVC1720AF	
MVN1710LH	MVN1720LH		MVC1710AH	MVC1720AH	
MVN1710LL	MVN1720LL		MVC1710AL	MVC1720AL	
MVN1710LP	MVN1720LP		MVC1710AP	MVC1720AP	
MVN1710LU	MVN1720LU		MVC1710AU	MVC1720AU	
MVN1710LX	MVN1720LX		MVC1710AX	MVC1720AX	
MVN1710ND	MVN1720ND	MVN1770ND	MVC1710AD	MVC1720AD	MVC1770AD
MVN1710NF	MVN1720NF	MVN1770NF	MVC1710AF	MVC1720AF	MVC1770AF
MVN1710NH	MVN1720NH	MVN1770NH	MVC1710AH	MVC1720AH	MVC1770AH
MVN1710NL	MVN1720NL	MVN1770NL	MVC1710AL	MVC1720AL	MVC1770AL
MVN1710NP	MVN1720NP	MVN1770NP	MVC1710AP	MVC1720AP	MVC1770AP
MVN1710NU	MVN1720NU	MVN1770NU	MVC1710AU	MVC1720AU	MVC1770AU
MVN1710NX	MVN1720NX	MVN1770NX	MVC1710AX	MVC1720AX	MVC1770AX


Legend

Z275 finishing	Sendzimir galvanized
GAC finishing	Hot-dip galvanized after manufacture
HP finishing	High Performance with finishing Zn+Mg


BRX series: routing elements




Descending bend 90°



Descending bend cover 90°




Rising bend 45°



Rising bend cover 45°



Descending bend 45°



Descending bend cover 45°

Dimensions WxH (mm)	Z275	GAC	HP	Z275	GAC	HP
65 x 35	MVN1910EC	MVN1920EC		MVC1910EC	MVC1920EC	
95 x 35	MVN1910ED	MVN1920ED		MVC1910ED	MVC1920ED	
155 x 35	MVN1910EF	MVN1920EF		MVC1910EF	MVC1920EF	
215 x 35	MVN1910EH	MVN1920EH		MVC1910EH	MVC1920EH	
305 x 35	MVN1910EL	MVN1920EL		MVC1910EL	MVC1920EL	
395 x 35	MVN1910EP	MVN1920EP		MVC1910EP	MVC1920EP	
515 x 35	MVN1910EU	MVN1920EU		MVC1910EU	MVC1920EU	
605 x 35	MVN1910EX	MVN1920EX		MVC1910EX	MVC1920EX	
65 x 50	MVN1910GC	MVN1920GC	MVN1970GC	MVC1910GC	MVC1920GC	MVC1970GC
95 x 50	MVN1910GD	MVN1920GD	MVN1970GD	MVC1910GD	MVC1920GD	MVC1970GD
155 x 50	MVN1910GF	MVN1920GF	MVN1970GF	MVC1910GF	MVC1920GF	MVC1970GF
215 x 50	MVN1910GH	MVN1920GH	MVN1970GH	MVC1910GH	MVC1920GH	MVC1970GH
305 x 50	MVN1910GL	MVN1920GL	MVN1970GL	MVC1910GL	MVC1920GL	MVC1970GL
395 x 50	MVN1910GP	MVN1920GP	MVN1970GP	MVC1910GP	MVC1920GP	MVC1970GP
515 x 50	MVN1910GU	MVN1920GU	MVN1970GU	MVC1910GU	MVC1920GU	MVC1970GU
605 x 50	MVN1910GX	MVN1920GX	MVN1970GX	MVC1910GX	MVC1920GX	MVC1970GX
95 x 80	MVN1910LD	MVN1920LD		MVC1910LD	MVC1920LD	
155 x 80	MVN1910LF	MVN1920LF		MVC1910LF	MVC1920LF	
215 x 80	MVN1910LH	MVN1920LH		MVC1910LH	MVC1920LH	
305 x 80	MVN1910LL	MVN1920LL		MVC1910LL	MVC1920LL	
395 x 80	MVN1910LP	MVN1920LP		MVC1910LP	MVC1920LP	
515 x 80	MVN1910LU	MVN1920LU		MVC1910LU	MVC1920LU	
605 x 80	MVN1910LX	MVN1920LX		MVC1910LX	MVC1920LX	
95 x 95	MVN1910ND	MVN1920ND	MVN1970ND	MVC1910ND	MVC1920ND	MVC1970ND
155 x 95	MVN1910NF	MVN1920NF	MVN1970NF	MVC1910NF	MVC1920NF	MVC1970NF
215 x 95	MVN1910NH	MVN1920NH	MVN1970NH	MVC1910NH	MVC1920NH	MVC1970NH
305 x 95	MVN1910NL	MVN1920NL	MVN1970NL	MVC1910NL	MVC1920NL	MVC1970NL
395 x 95	MVN1910NP	MVN1920NP	MVN1970NP	MVC1910NP	MVC1920NP	MVC1970NP
515 x 95	MVN1910NU	MVN1920NU	MVN1970NU	MVC1910NU	MVC1920NU	MVC1970NU
605 x 95	MVN1910NX	MVN1920NX	MVN1970NX	MVC1910NX	MVC1920NX	MVC1970NX

Z275	GAC	Z275	GAC	Z275	GAC	Z275	GAC
MVG1610GC	MVG1620GC	MVC1610AC	MVC1620AC	MVG1810GC	MVG1820GC	MVC1810GC	MVC1820GC
MVG1610GD	MVG1620GD	MVC1610AD	MVC1620AD	MVG1810GD	MVG1820GD	MVC1810GD	MVC1820GD
MVG1610GF	MVG1620GF	MVC1610AF	MVC1620AF	MVG1810GF	MVG1820GF	MVC1810GF	MVC1820GF
MVG1610GH	MVG1620GH	MVC1610AH	MVC1620AH	MVG1810GH	MVG1820GH	MVC1810GH	MVC1820GH
MVG1610GL	MVG1620GL	MVC1610AL	MVC1620AL	MVG1810GL	MVG1820GL	MVC1810GL	MVC1820GL
MVG1610GP	MVG1620GP	MVC1610AP	MVC1620AP	MVG1810GP	MVG1820GP	MVC1810GP	MVC1820GP
MVG1610GU	MVG1620GU	MVC1610AU	MVC1620AU	MVG1810GU	MVG1820GU	MVC1810GU	MVC1820GU
MVG1610GX	MVG1620GX	MVC1610AX	MVC1620AX	MVG1810GX	MVG1820GX	MVC1810GX	MVC1820GX
MVG1610LD	MVG1620LD	MVC1610AD	MVC1620AD	MVG1810LD	MVG1820LD	MVC1810LD	MVC1820LD
MVG1610LF	MVG1620LF	MVC1610AF	MVC1620AF	MVG1810LF	MVG1820LF	MVC1810LF	MVC1820LF
MVG1610LH	MVG1620LH	MVC1610AH	MVC1620AH	MVG1810LH	MVG1820LH	MVC1810LH	MVC1820LH
MVG1610LL	MVG1620LL	MVC1610AL	MVC1620AL	MVG1810LL	MVG1820LL	MVC1810LL	MVC1820LL
MVG1610LP	MVG1620LP	MVC1610AP	MVC1620AP	MVG1810LP	MVG1820LP	MVC1810LP	MVC1820LP
MVG1610LU	MVG1620LU	MVC1610AU	MVC1620AU	MVG1810LU	MVG1820LU	MVC1810LU	MVC1820LU
MVG1610LX	MVG1620LX	MVC1610AX	MVC1620AX	MVG1810LX	MVG1820LX	MVC1810LX	MVC1820LX
MVG1610ND	MVG1620ND	MVC1610AD	MVC1620AD	MVG1810ND	MVG1820ND	MVC1810ND	MVC1820ND
MVG1610NF	MVG1620NF	MVC1610AF	MVC1620AF	MVG1810NF	MVG1820NF	MVC1810NF	MVC1820NF
MVG1610NH	MVG1620NH	MVC1610AH	MVC1620AH	MVG1810NH	MVG1820NH	MVC1810NH	MVC1820NH
MVG1610NL	MVG1620NL	MVC1610AL	MVC1620AL	MVG1810NL	MVG1820NL	MVC1810NL	MVC1820NL
MVG1610NP	MVG1620NP	MVC1610AP	MVC1620AP	MVG1810NP	MVG1820NP	MVC1810NP	MVC1820NP
MVG1610NU	MVG1620NU	MVC1610AU	MVC1620AU	MVG1810NU	MVG1820NU	MVC1810NU	MVC1820NU
MVG1610NX	MVG1620NX	MVC1610AX	MVC1620AX	MVG1810NX	MVG1820NX	MVC1810NX	MVC1820NX

Legend

Z275 finishing	Sendzimir galvanized
GAC finishing	Hot-dip galvanized after manufacture
HP finishing	High Performance with finishing Zn+Mg

BRX series: separators, supports and bolts



Separators

For cable tray height (mm)	Z275	GAC	HP
35	MV65110X	MV65210X	
50	MV65111X	MV65211X	MV65711X
80 - 95	MV65113X	MV65213X	MV65713X



Wall support

Lenght (mm)	Z275	GAC	HP
100	MV60180	MV60280	MV60780
150	MV60181	MV60281	MV60781
200	MV60182	MV60282	MV60782
300	MV60184	MV60284	MV60784
400	MV60185	MV60285	MV60785
500	MV60186	MV60286	MV60786
600	MV60187	MV60287	MV60787



Bolts

Dimensions (mm)	EZ	GEOMET
M6 x 10	MV66100	MV66200
M6 x 14	MV66101	MV66201
M6 x 20	MV66403	MV66203



Ceiling support

Dimensions HxL (mm)	Z275	GAC	HP
150 x 100	MV62150	MV62250	MV62750
150 x 150	MV62151	MV62251	MV62751
150 x 200	MV62152	MV62252	MV62752
150 x 300	MV62154	MV62254	MV62754
150 x 400	MV62155	MV62255	MV62755
200 x 100	MV62156	MV62256	MV62756
200 x 150	MV62157	MV62257	MV62757
200 x 200	MV62158	MV62258	MV62758
200 x 300	MV62160	MV62260	MV62760
200 x 400	MV62161	MV62261	MV62761

Legend	
Z275 finishing	Sendzimir galvanized
GAC finishing	Hot-dip galvanized after manufacture
HP finishing	High Performance with finishing Zn+Mg
EZ finishing	Electrolytic galvanized
GEOMET finishing	Non electrolytic coating



FIND OUT MORE
ABOUT BRX

GEWISS

GEWISS S.p.A.

Registered Office: Via Domenico Bosatelli 1

24069 CENATE SOTTO (Bergamo) - Italy

Tel. +39 035 946 111 - Fax. +39 035 945 222

gewiss@gewiss.com - www.gewiss.com

Sole shareholder company - Bergamo Business Register/VAT/Tax Code (IT) 00385040167

REA 107496 - Share Capital 60,000,000.00 EUR fully paid up

Visit www.gewiss.com and follow us on:

