




A system of command and control wireless devices based on Zigbee technology that offers innovative solutions for the renovation of buildings, minimizing the structural interventions. Zigbee is a safe and reliable system because the data exchanged are encrypted and every node of the network always ensures reachability among all the devices (mesh network). The Zigbee devices enrich the range of home&building automation solutions by Gewiss and can be managed via App, with smartphone and tablet, through the Smart Gateway.

Categoria	Contacts interface	Protocolo de comunicações	Zigbee (IEEE 802.15.4)
Tensão de alimentação	Battery powered	Baterias alimentação	CR2032 replaceable
Output power	8 dBm	N. canais de entrada	2
Tensão entrada	Potential-free	Comprimento máx. cabos	15 m
Norma de referência	2014/53/EU, EN 60669-2-1, EN 60669-1, ETSI EN 300-328	Grau de protecção	IP20
Temperatura de funcionamento	-5 + +45 °C	Temperatura de armazenagem	-25 + +70 °C
Relative humidity (non-condensative)	Max 93%	Dimensões BxHxP (mm)	42x40x20
Código Electrocod	051A		

DIMENSIONAL



TECHNICAL SYMBOLOGY

IP

IP20

STANDARDS/APPROVALS



GEWISS S.p.A. Via A. Volta, 1
24069 Cenate Sotto - Bergamo - Italy
tel. +39 035 94 61 11 fax +39 035 94 69 09

www.gewiss.com
sat@gewiss.com
Last update 17/05/2021

Data, measures, designs and pictures are shown only as informative purposes, and could be changed without previous notice