




A system of command and control wireless devices based on Zigbee technology that offers innovative solutions for the renovation of buildings, minimizing the structural interventions. Zigbee is a safe and reliable system because the data exchanged are encrypted and every node of the network always ensures reachability among all the devices (mesh network). The Zigbee devices enrich the range of home&building automation solutions by Gewiss and can be managed via App, with smartphone and tablet, through the Smart Gateway.

Categoria	Actuator with power meter	Protocolo de comunicações	Zigbee (IEEE 802.15.4)
Tensão de alimentação	230V ac - 50 Hz	N. canais de saída	1
Contactos de saída	1 NO 10A (AC1) 230 V ac	Output power	3 dBm
Potência max dissipável (W)	2 W	230V incandescent-halogen lamps	2300 W
CFL lamps	150 W	230V LED lamps	150 W
Loads controlled from toroidal transformers	450 W	Loads controlled from electronic transformers	600 W
Potência máx motor	500 W	Norma de referência	2014/53/EU
Grau de protecção	IP20	Temperatura de funcionamento	-5 ÷ +45 °C
Temperatura de armazenagem	-25 ÷ +70 °C	Relative humidity (non-condensative)	Max 93%
Dimensões BxHxP (mm)	42x40x20	Código Electrocod	051A

DIMENSIONAL



TECHNICAL SYMBOLOGY

IP

IP20

STANDARDS/APPROVALS

